



# ProDeuce<sup>®</sup>

## Pre-Emergent And Post-Emergent Weed Control For Many Broadleaf Weeds And Grasses

### ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt\* . . . . 40.15%  
Prodiamine\*\* . . . . . 7.51%

**OTHER INGREDIENTS:** . . . . . 52.34%

**TOTAL:** . . . . . 100.00%

\*Contains 480 grams per liter or 4.0 pounds per U.S. gallon. Equivalent to 356 grams per liter or 2.97 pounds per U.S. gallon.

\*\*Equivalent to 90 grams per liter or 0.75 pounds per U.S. gallon (CAS # 29091-21-1).

**KEEP OUT OF REACH OF CHILDREN  
CAUTION / PRECAUCIÓN**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL  
PRECAUTIONARY STATEMENTS**

For Chemical Spill, Leak,  
Fire, or Exposure,  
Call CHEMTREC  
(800) 424-9300  
For Medical  
Emergencies Only,  
Call (877) 325-1840

EPA Reg. No. 228-509

Manufactured for  
Nufarm Americas Inc.  
150 Harvester Drive  
Burr Ridge, IL 60527



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION / PRECAUCIÓN**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling.

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment wash water or rinsate.

**PHYSICAL OR CHEMICAL HAZARDS**

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT, OR SPRAY SOLUTIONS OF THIS PRODUCT, IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

Stay off treated areas until sprays have dried. Precautions should be taken to prevent tracking product after application onto desirable grasses.

**SHAKE WELL BEFORE USING.**

**PRODUCT INFORMATION**

**WHERE TO USE**

Apply this product to both established weeds and weed-prone areas where weeds have not yet emerged.

- on cracks and crevices in driveways, sidewalks, walkways, and patios
- along fences, foundations, curbs, retaining walls, and edges of lawns
- around the base or in mulched beds of well-established (at least 6 months old) plants, shrubs or trees
- on gravel areas

**HOW THIS PRODUCT WORKS**

Important: To prevent new weeds and grasses from growing you must spray the entire area you want to control, not just the emerged weeds.

This product works two ways:

1. One ingredient enters the plants through foliage and moves systemically to the roots, killing many weeds by stopping the production of a substance found in plants. Weeds begin to yellow and wilt in a matter of days with complete kill of many weeds in 1 to 2 weeks.
2. The other ingredient provides a herbicidal barrier in the soil preventing growth and development of newly germinated weeds.

## USE RESTRICTIONS

- **DO NOT** spray desirable plants.
- **DO NOT** use in lawns or for lawn renovations as this product prevents desirable grass establishment.
- **DO NOT** use for vegetable garden preparations or in and around fruits and vegetables.
- **DO NOT** spray around ornamental plants or in an area that will be planted or seeded for 6 months after application when applying at the 3 fl. oz. per 1,000 sq. ft. use rate.
- **DO NOT** spray around ornamental plants or in an area that will be planted or seeded for 12 months after application when applying at the 5.75 fl. oz. per 1,000 sq. ft. use rate.

## APPLICATION

### When to Apply

Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60°F).

## WEEDS CONTROLLED

### Pre-Emergent:

When used as directed, this product will prevent the following weeds from emerging:

Barneyardgrass	Henbit <sup>1</sup>	Purslane, common
Bluegrass, annual (Poa annual) <sup>1</sup>	Itchgrass	Pusley, Florida
Carpetweed	Johnsongrass (from seed)	Rescuegrass <sup>2</sup>
Chickweed, common <sup>2</sup>	Junglerice	Shepherdspurse <sup>1</sup>
Chickweed, mouse-ear (from seed)	Knotweed <sup>1</sup>	Signalgrass, broadleaf
Crabgrass (large, smooth)	Kochia	Speedwell, Persian
Crowfootgrass	Lambsquarters, common	Sprangletop
Cupgrass, woolly	Lovegrass	Spurge, prostrate
Foxtails, annual	Panicum, (Texas, fall, browntop)	Witch grass
Goosegrass	Pigweed	Woodsorrel, yellow (from seed)

<sup>1</sup> To control this weed in non-turf areas, apply this product in late summer, fall, or winter before weeds germinate.

<sup>2</sup> Suppression only.

## Post-Emergent:

Barley  
Barnyardgrass  
Bluegrass, annual  
Bluegrass, bulbous  
Brome, downy  
Buttercup  
Cheat  
Chickweed, common  
Chickweed, mouseear (from seed)  
Cocklebur  
Corn  
Crabgrass  
Dwarf dandelion  
False flax, smallweed  
Filaree  
Foxtail  
Foxtail, Carolina  
Geranium, Carolina

## ANNUAL WEEDS

Goatgrass, jointed  
Goosegrass  
Groundsel, common  
Henbit  
Horseweed / Mare's Tail  
Lambsquarters, common  
Mustard, blue  
Mustard, tansy  
Mustard, tumble  
Mustard, wild  
Oats, wild  
Panicum, fall  
Panicum, Texas  
Pennycress, field  
Pigweed, redroot  
Pigweed, smooth  
Primrose, cutleaf evening  
Pusley, Florida  
Rice, red  
Rocket, London  
Rye  
Ryegrass, Italian  
Shattercane  
Shepherdspurse  
Sicklepod  
Signalgrass, broadleaf  
Spanishneedles  
Sprangletop  
Spurge, annual  
Spurry, umbrella  
Stinkgrass  
Teaweed  
Wheat  
Witch grass

## PERENNIAL WEED

Alfalfa  
Alligatorweed\*  
Anise (fennel)  
Artichoke, Jerusalem  
Bahigrass  
Bentgrass  
Bermudagrass  
Bermudagrass, water (knotgrass)  
Bindweed, field  
Bluegrass, Kentucky  
Bluegrass, Texas  
Brackenfern  
Bromegrass, smooth  
Bursage, woollyleaf  
Canarygrass, reed  
Cattail  
Clover, red  
Clover, white  
Cogongrass  
Dallisgrass  
Dandelion

Dock, curly  
Dogbane, hemp  
Fescue, tall  
Fescues  
Guinea grass  
Horsenettle  
Horseradish  
Ice plant  
Johnsongrass  
Johnsongrass, seedling  
Kikuyugrass  
Knapweed  
Lantana  
Lespedeza  
Milkweed  
Morningglory  
Muhly, wirestem  
Mullein, common  
Napiergrass  
Nightshade, silverleaf  
Nutsedge; purple, yellow

Orchardgrass  
Pampasgrass\*  
Paragrass  
Phragmites\*  
Poison hemlock  
Quackgrass  
Redvine\*  
Reed, giant  
Ryegrass, perennial  
Smartweed, swamp  
Spurge, leafy\*  
Starthistle, yellow  
Sweet potato, wild\*  
Thistle, artichoke  
Thistle, Canada  
Timothy  
Torpedograss\*  
Trumpetcreeper\*  
Vaseygrass  
Velvetgrass  
Wheatgrass, Western

\* Partial Control

**TANK SPRAYER** (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- Add 3 to 5.75 fluid ounces to 1 gallon of water and treat 1,000 sq. ft.
- For longer pre-emergent control and post-emergent control of larger weeds use the higher rate.

**Do not apply with a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.**

#### **HOW TO APPLY**

Spray existing weeds AND the entire surrounding weed-prone area you want to keep free of weeds. Spray the area with sufficient volume to assure complete coverage. When spraying around the base of well-established (at least 6 months old) ornamental plants, shrubs, or trees, shield desirable plants from drift with a sheet of cardboard or plastic. Use caution to prevent application to green stems and leaves, damage can occur.

#### **WHEN TO REPLANT**

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted 6 months after application when applying at the 3 fl. oz. per 1,000 sq. ft. use rate or 12 months when applying at the 5.75 fl. oz. per 1,000 sq. ft. use rate.

#### **HOW TO CLEAN SPRAYER**

To clean sprayer after use, rinse sprayer and all sprayer parts with soap and water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

## **WARRANTY DISCLAIMER**

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

## LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

**If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.**

ProDeuce is a registered trademark of Nufarm Americas, Inc.

All other trademarks are the property of their respective owners.

(RV092310)

SPECIMEN