

Brandt Defoamer

Foam Control and Suppressant

General Information

DEFOAMER is very effective for controlling both entrained and/or surface foam in most turf sprays and equipment.

Directions For Use

To control foam prior to forming use DEFOAMER at a rate of 1-2 fl. oz. per 100 gallons of solution. If foam persists an additional 1-2 fl. oz. may be required. Rates of DEFOAMER may vary depending on type of agitation, chemicals being used and water quantities.

Prior to use, read and follow all directions on this label and on the label of the pesticide being used. The pesticide manufacturer's label for specific usages and restrictions have precedence over DIRECTIONS FOR USE referred to on this label.

Principal Functioning Agents

Polydimethylsiloxanes	10.0%
Constituents ineffective as Spray Adjuvant	90.0%
<hr/>	
Total	100.0%

All ingredients are exempt from the requirements of a tolerance under 40 CFR 180.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Warranty: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.

BRANDT

Manufactured By:
Brandt Consolidated, Inc.
2935 South Koke Mill Road
Springfield, Illinois 62711 USA
www.brandtconsolidated.com
800.300.6559



1033-02-100

Net Contents:
2.5 Gal. per bottle
Packaged 2 x 2.5 gal.

Brandt Defoamer

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing spray mists or vapors. Wash thoroughly with soap and water after handling. Avoid contamination of feed or foodstuffs.

PERSONAL PROTECTIVE EQUIPMENT (PPE): long-sleeved shirt and long pants, socks, shoes, gloves, and protective eyewear.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry, locked area out of reach of children. Protect from excessive heat. Keep container tightly closed in storage to prevent entry of water.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.